### 6913161-008

# Earth and Environmental Science

1st Workshop on Metrology for Agriculture and Forestry (METROAGRIFOR)



VALENE 275-2019 3-20ccbar2018 Autom, Joh

States Para Temata I

The open access journal for conference proceedings

iopsolence.org/ jpcs

**IOP** Publishing

## Table of contents

Volume 278

## 2019

◆ Previous issue
 Next issue ▶

The 3rd EMBRIO International Workshop on Marine Biodiversity: Understanding, Utilization, Conservation 9–10 October 2018, Bogor, Indonesia

Accepted papers received: 17 April 2019 Published online: 23 May 2019

Open all abstracts

Preface
---------

OPEN ACCESS			011001
The 3rd EMBRIG	O International World	kshop on Marine Biodiversity: Understanding,	
Utilization, Cons	ervation		
	View article	🔁 PDF	
OPEN ACCESS			011002
Peer review state	ement		
	View article	🔁 PDF	
Papers			
OPEN ACCESS			012001
Mini DNA-barcc authentication	ode as molecular ma	rker for heavily processed hairtail fish products	
A Abdullah, M Nur	rilmala, A M Jacoeb and	d K P Sitaresmi	
	View article	🔁 PDF	
OPEN ACCESS			012002
Utilization of bel (Carcharhinus sp	imbing wuluh <i>(Aver</i> o.) meat in shredded	<i>rhoa bilimbi)</i> to reduce urea levels from shark processing	
R Adawyah, I K Kł	notimah, F Puspitasari	and H Rahmawati	
	View article	PDF	
OPEN ACCESS This site uses cooki Analysis of turbu See our Privacy and	ies. By continuing to us lent mixing in the E Cookles policy.	se this site you agree to our use of cookies. To find out more, Castern Path of Indonesian Throughflow	012003

https://iopscience.iop.org/issue/1755-1315/278/1

n	A _11		A 4	V	NT1:4-	DN	<b>1</b>	- ·· · 1 `	ΤΤ
	Adhvatma	AN	Armadin	noera v	Naiilita		llorono	and	Herlisman
$\boldsymbol{\nu}$	1 Iun y uunu,	1101	innaup	Joura, I	1 autitu,	$\nu$	ugiono	unu .	i ivi nomun

+ Open abstract	View article	🔁 PDF	
OPEN ACCESS			012004
Comparison betw fishing business i	veen the wage and p in Kulon Progo Reg	rofit-sharing systems to the portion of fishermen in ency	
C P Adi, E B S Har	yani, K Iswantono and	L Soeprijadi	
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS			012005
Yield-per-recruit management of I Tenggara	modeling as biologi Leopard Coral Group	ical reference points to provide fisheries per ( <i>Plectropomus leopardus</i> ) in Saleh Bay, West Nusa	
S Agustina, A S Par	nggabean, M Natsir, H	Retroningtyas and I Yulianto	
	View article	🔁 PDF	
OPEN ACCESS			012006
In vivo sub chror Linnaeus in Spra	nic toxicity evaluation gue dawley rats	on of the methanol extract of Meretrix meretrix	
A Apriandi, K Tarm	an and P Sugita		
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS			012007
The effects of pla	anting distances and	seedling sources on Kappaphycus alvarezii growth	
L O Aslin, E Supry	iono, K Nirmala, D Nu	rjanah and T Soelistyowati	
	View article	🔁 PDF	
OPEN ACCESS			012008
Seasonal variation from an autonom	n of the upper-layer ous CTD Argo float	seawater properties in the Banda Sea: observed	
A S Atmadipoera, T	Prartono, I Jaya, D N	ugroho, G Harsono, P Nanlohy and A Koch-Larrouy	
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS			012009
Squid attractor: a	n appropriate techno	ology for empowering fishing communities	
M S Baskoro, R Yu	sfiandayani, D Sutisna	, S Martasuganda and S L Prasetiyo	
	View article	PDF	
OPEN ACCESS			012010
Isolation and iden	ntification of bacteri	a with antimicrobial activities from green algae	
Halimeda discon This site uses cooki Sep SuCPBivwaytin	( <i>aeq.</i> ) from Pulay Lin es. By continuing to us Rosingapolic & E Kri	ma, Banten Bay, Indonesia se this site you agree to our use of cookies. To find out more, stianty and N Indriati	8

	View article	PDF	
OPEN ACCESS Governability of a policy implication	marine protected ar 15 in Cenderawasih	eas: The effect of trade-offs, hybrid patterns, and Bay National Park, Indonesia	012011
R Bawole, F Yulian	da, D G Bengen, A Fal	hrudin and Mudjirahayu	
	View article	🔁 PDF	
OPEN ACCESS			012012
Use of <i>Sargassun</i> tilapia fillet ( <i>Orec</i>	n polycystum ethano ochromis niloticus)	bl extract as antibacterial for increasing shelf life stored in chilling temperature	
P H Budi, E A Thail	o and M Julita		
	Tiew article	🔁 PDF	
OPEN ACCESS Amino acid profi enzyme to comba	le of biologically pr t stunting	ocessed fish protein hydrolysate (FPH) using local	012013
E Chasanah, R Susi	lowati, P Yuwono, D S	S Zilda and Y N Fawzya	
	View article	PDF	
OPEN ACCESS Fishing industry o Angke Darmawan, Nurjali	comprehensive heal and T Nugroho	th standard on fish market: The case of Muara	012014
	Tiew article	PDF	
OPEN ACCESS Spatial and season I W E Dharmawan, + Open abstract	nal variation of mar C Guangcheng, Pramu View article	ngrove litter production in Bitung, Indonesia adji and C Bin PDF	012015
OPEN ACCESS A potential ineffic demersal fish at F	ciency management T. X Makassar-Sou	: Kaizen application in the fillet processing of frozen ath Sulawesi	012016
N Dharmayanti, A H	I Purnomo, A Permadi	i and Mariyana	
✤ Open abstract	View article	PDF	
OPEN ACCESS Using internal tra and Banten Bay	nscribed spacers 2	(ITS2) to identify seaweed species from Tomini Bay	012017
N Dharmayanti, Ab This site uses cooki &CopenPabsicactand	inawanto and A Anti es. By continuing to us Coakiesi polarticle	se this site you agree to our use of cookies. To find out more, PDF	Θ

OPEN ACCESS Liquid smoke inhi fillets	ibits growth of path	nogenic and histamine forming bacteria on skipjack	012018
H A Dien, R I Monto	olalu and S Berhimpor	n	
	Tiew article	PDF	
OPEN ACCESS			012019
Fish community s	tructure at the Bog	owonto River Estuary of Kulon Progo Regency	
Djumanto, A Permat	asari, E Iqtivaningsih,	E Setyobudi and N Probosunu	
	View article	🔁 PDF	
OPEN ACCESS			012020
methanol extracts	ory activity of Sarg	cassum plagyopnyllum and Eucheuma cottonii	
M T Dolorosa, Nurja	anah, S Purwaningsih,	E Anwar and T Hidayat	
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS			012021
Dietary exposure research (online)	assessment and risk in Indonesia and In	c characterization of lead based on lead contaminant donesian Individual Food Consumption Survey (IFCS)	
M Efanny, N Andary	vulan and N D Yulian	a	
+ Open abstract	View article	PDF	
OPEN ACCESS Overall equipmen vannamei <i>(Litoper</i> Java	t effectiveness (OE naeus vannamei) sł	E) analysis to improve the effectiveness of nrimp freezing machine performance at PT. XY, Situbon	012022 do-East
N Fakhri, L Supenti	and G Prabawo		
	View article	PDF	
OPEN ACCESS Reproductive biol prospect aquacult	ogy and broodstock are commodity	k maintenance of seahorse <i>Hippocampus comes</i> as a	012023
E R Farastuti, A O S	udrajat, M Nurilmala,	M Zairin Jr, M A Suprayudi and A Y Silaban	
	View article	PDF	
OPEN ACCESS Implementation kaprocessing at PT.	aizen method for re XYZ Makassar	educing losses percentage of octopus frozen	012024
P I Fauzan, A H Purr	nomo, N Dharmayanti	and A N Siregar	
+ Open abstract This site uses cookie see our Privacy and	View article s. By continuing to us Cookies policy.	PDF se this site you agree to our use of cookies. To find out more,	8

OPEN ACCESS			012025
Biodiversity of fish re	esources in Sung	gsang Estuaries of South Sumatra	
Fauziyah, Nurhayati, S M	M Bernas, A Putera	a, Y Suteja and F Agustiani	
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS Antifungal activity of KLU 11.16	chitosan oligor	ner prepared using chitosanase of Aeromonas media	012026
Y N Fawzya, Trisdayant	i, S Wibowo and N	N Noriko	
+ Open abstract	View article	PDF	
OPEN ACCESS			012027
Effect of various plan alvarezii (doty) using method	ting distances o seedlings produ	n growth and carrageenan yield of <i>Kappaphycus</i> aced from mass selection combined with tissue-cultured	
F Febriyanti, L O M Asla	an, W Iba, A B Pat	tadjai and A R Nurdin	
	View article	PDF	
<b>OPEN ACCESS</b> Utilization of spirulin D Fithriani and E Sinura	a as functional t	food: Phytosterol and amino acid profiles study	012028
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS The potency of green coastal of Lhok Bubo	algae <i>Chaetomo</i> n, West Aceh	orpha crassa Agardh as antioxidant agent from the	012029
M Gazali, N P Zamani a	nd Nurjanah		
	View article	PDF	
OPEN ACCESS Macroalgae on the Ro T Handayani	ocky Shore of th	e Southern Coast of Garut, West Java, Indonesia	012030
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS Physical analyze and fortified nano calcium	hedonic quality	of ilabulo crackers skipjack (Katsuwonus pelamis)	012031
R M Harmain, F A Dali	and R Husain		
← Open abstract	View article	PDF	
<b>PRE Nte Gee So</b> kies. B	y continuing to us	e this site you agree to our use of cookies. To find out more,	012032

**PRIE Std GSEF So**kies. By continuing to use this site you agree to our use of cookies. To find out more, BioecoPrivrity and Soistion policy fish in Raja Ampat Regency, West Papua Province

, 10:16 AM	IOP Conferen	nce Series: Earth and Environmental Science, Volume 278, 2019 - IOPscier	nce
E B S Haryani and	A Fauzi		
	View article	🔁 PDF	
OPEN ACCESS			0
The management through bioeconc	of marine protecte mic model approac	d area of Raja Ampat Regency, West Papua Province ch	
E B S Haryani and	Akhmad Fauzi		
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS			0
Addition of chito	san oligomers to in	nprove bread texture	
E Hastarini and D L	. Ayudiarti		
	View article	PDF	
OPEN ACCESS			0
Environmental ch Crab Scylla serra	naracteristics of ma <i>uta</i> cultivation: A ca	ngrove forest as a reference for development of mud se study in Mojo Village, Ulujami, Pemalang	
Y P Hastuti, K Nirn	nala, I Suryani and S I	L Prasetiyo	
	View article	🔁 PDF	
Improving the su habitat design	rvival rate of land h	nermit crabs ( <i>Coenobita rugosus</i> ) through artificial	0
K A Hutagalulig, N			
	View article	PDF	
OPEN ACCESS			0
Characteristics ar within industrial	nd performance of twastewater in fishe	piofilms on the electrode of bioelectrical systems pries	
B Ibrahim, Desniar,	P Suptijah and C Anv	war	
	View article	🔁 PDF	
OPEN ACCESS			0
Size distribution Aceh fisheries	and sex ratio of sca	lloped hammerhead shark (Sphyrna lewini) in Banda	
M Ichsan, B M Sim	eon, E Muttaqin and I	Munawir	
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS			0
Quality of dried s	seaweed Kappaphy	cus alvarezii with traditional drying methods from	
This site uses cooki	es. By continuing to u	use this site you agree to our use of cookies. To find out more,	

	View article	PDF	
OPEN ACCESS Antioxidant and a (Chanos chanos)	ntifungal activities	s of collagen hydrolysates from skin of milkfish various <i>bacillus</i> proteases	012040
E Kusumaningtyas,	M Nurilmala and D S	Sibarani	
+ Open abstract	View article	PDF	
OPEN ACCESS			012041
DNA barcoding o different tissues q	of sea turtles (Derm uality: implication	ochelyidae and Cheloniidae) and its protocol using to conservation managers	
H H Madduppa, S E	Bahri, B Subhan, N P A	Anggraini, H Ohoiulun, T Abdillah, D Arafat, P Santoso and I M	I Sangadji
	Tiew article	🔁 PDF	
OPEN ACCESS Different species.	life form, and com	plexity of dead coral head affect the species	012042
diversity and dens	sity of decapods		
H H Madduppa, P S	antoso, B Subhan, A	W Anggoro, N K D Cahyani and D Arafat	
	View article	PDF	
OPEN ACCESS Quantifying vulne knowledge suffic U Mardhiah, H Boo	erability of sharks a ient enough for the th. B M Simeon, E M	and rays species in Indonesia: Is biological assessment? uttagin, M Ichsan, Dharmadi, Fahmi, A P Prasetvo and I Yulian	012043 to
+ Open abstract	View article	PDF	
OPEN ACCESS Ocean current sig	nals propagation al	long the Outer Banda Arcs	012044
<ul> <li>Open abstract</li> </ul>	View article	PDF	
OPEN ACCESS Moisture sorption katsuobushi plant	n isotherm of natura	al condiment cube made from juice water of e coating and stored at ambient temperature	012045
F Mentang, R I Mor	ntolalu, H A Dien, M	A Djohar, Y Katiandagho, A U I Meko and S Berhimpon	
	View article	🔁 PDF	
OPEN ACCESS Catch handling ev gap assessment in	valuation of longtai Pekalongan Archi	l tuna ( <i>Thunnus tonggol</i> ) by sensory evaluation and pelagic Fishing Port	012046
A W Miriyanti, Abin This site uses cookin CoperPabstractand	nawanto and A Rokhn es. By continuing to u Coeki&spolaryicle	nan se this site you agree to our use of cookies. To find out more, PDF	8

3, 10:16 AM	IOP Conferer	nce Series: Earth and Environmental Science, Volume 278, 2019 - IOPscien	ice
OPEN ACCESS			012
Extraction and c manufacturing o	haracterization of so f tuna ( <i>Thunnus</i> sp.)	odium alginates from <i>Sargassum polycystum</i> for meatballs	
M K Mokoginta, N	I Indriati, N Dharmaya	nti and S Z Nurbani	
	View article	🔁 PDF	
OPEN ACCESS			012
Application of reprocessing	efined carrageenan (	RC) in the non-gluten crispy fish seaweed product	
T P Murti, A H Pur	rnomo, N Dharmayanti	and R B S Salampessy	
+ Open abstract	Tiew article	🔁 PDF	
OPEN ACCESS			012
DNA-barcoding locally consume	as molecular marke d shark fish product	r for seafood forensics: Species identification of s in the world's largest shark fishery	
E Muttaqin, A Abd	ullah, M Nurilmala, M	Ichsan, B M Simeone, I Yulianto and H Booth	
	Tiew article	🔁 PDF	
OPEN ACCESS			012
Characteristics o	of green seaweed sal	t as alternative salt for hypertensive patients	
C Nufus, A Abdull	ah and Nurjanah		
	View article	🔁 PDF	
OPEN ACCESS			012
Carbon storage i	n seagrass meadow	of Teluk Bakau – Bintan Island	
A H Nugraha, M K	Lawaroe, E S Srimarian	a, I Jaya, D Apdillah and S R Deswati	
	View article	🔁 PDF	
OPEN ACCESS			012
Influence of salt nano-chitosan	addition and freezir	ng-thawing on particle size and zeta potential of	
P S Nugraheni, A H	I Soeriyadi, W B Sedia	awan, Ustadi and W Budhijanto	
	View article	🔁 PDF	
OPEN ACCESS			012
Characterization from Indonesian	of Trimethylamin-N Waters	N-Oxide Demethylase (TMAOase) of Lizardfish	
T Nurhayati, M Nu	urilmala and A Nuraini		
	View article	PDF	
<b>PRIF Nt&amp; GSEF SS</b> ok	ies. By continuing to u	se this site you agree to our use of cookies. To find out more,	012

see our Privacy and Cookies policy.

3, 10:16 AM	IOP Conferer	nce Series: Earth and Environmental Science, Volume 278, 2019 - IOPscien	се
Molecular marke Indonesia	r based on 16S rRN	A gene for seahorse (Hippocampus spp.) from Bintan Is	sland-
M Nurilmala, K H N	Nurhayati, N A Butet a	and A O Sudrajat	
	View article	PDF	
OPEN ACCESS Utilization of sea protecting skin	weed porridge Sarg	gassum sp. and Eucheuma cottonii as cosmetic in	01205
Nurjanah, N Luthfiy	yana, T Hidayat, M Nu	urilmala and E Anwar	
	Tiew article	PDF	
OPEN ACCESS Model of Total St Coast of Kundur	uspended Solid (TS Island part of Berha	S) distribution due to coastal mining in Western ala Strait	012050
I W Nurjaya, H Sur	bakati and N M N Nat	ih	
	View article	PDF	
OPEN ACCESS The elasticity of r	mangrove ecosyster	n services in the Jor Bay, Indonesia	01205
+ Open abstract	View article	PDF	
OPEN ACCESS The spatial patter catches in Bali St	n relationship betw rait, Indonesia	een SST and chlorophyll-a in <i>Lemuru</i> Bleeker, 1853	012058
N D Pertami, I W N	urjaya, A Damar and	M F Rahardjo	
+ Open abstract	View article	PDF	
OPEN ACCESS Trophic structure Kepulauan Seribu	of reef fishes and r 1, Jakarta	elationship of corallivore fishes with hard coral in	012059
B Prabowo, K Fahle	evy, N F D Putra, M R	izqydiani, B M K Rahman, A Habibie, B Subhan and H Maddu	ppa
	View article	🔁 PDF	
OPEN ACCESS			01206
Oxygen consump conditions	tion of <i>Mugil ceph</i>	alus on several temperatures under brackish water	01200
V A Prakoso, K T K	im, J H Ryu, B H Mir	n and Y J Chang	
	Tiew article	PDF	
<b>Phis Ste Gees So</b> ki	es. By continuing to u	se this site you agree to our use of cookies. To find out more,	01206

This Site GSE Sokies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.

IOP Conference Series: Earth and Environmental Science, Volume 278, 2019 - IOPscience

The impact of coast	al degradation	on mangrove ecosystem	in North Karawang coastal area

A K Pranoto.	E B S Har	vani. Amdani	and A Tanjung
		<i>j</i> ••••••	and it is the second

	View article	🔁 PDF
--	--------------	-------

OPEN ACCESS			012062
Formulation of so (zingiberaceae)	unscreen cream froi	m Eucheuma cottonii and Kaempferia galanga	
G Pratama, R Yanu	arti, A F Ilhamdy and	M P Suhana	
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS			012063
Combination effet the time latency, <i>blochii)</i> larve fish	ects human chorion percentage of fertil h	ic gonadotropin hormon and ovaprim distribution on ization, hatching and survival of silver pompano (Trachi	inotus
W K A Putra and A	Mulah		
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS			012064
Interannual varia	bility of Indonesian	throughflow in the Flores Sea	
P Y Putriani, A S A	tmadipoera and D Nug	groho	
	View article	PDF	
OPEN ACCESS			012065
Endophytic micro Avicennia marine	obes and antioxidar a and <i>Xylocarpus gr</i>	nt activities of secondary metabolites from mangroves <i>ranatum</i>	
S I Rahmawati, F N	Izzati, Y Hapsari, E S	Septiana, F Rachman, Bustanussalam and P Simanjuntak	
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS			012066
The optimum lig scads (Selaroides	ht colour and intens ( <i>leptolepis</i> ) using f	sity of light emitting diodes for catching yellowstripe ixed liftnet	
M Riyanto, A Susar	nto, M S Baskoro, S H	Wisudo and F Purwangka	
	View article	🔁 PDF	
OPEN ACCESS			012067
Small scale captu approach	are fisheries sustain	ability analysis using emergy (embodied energy)	
Robin, R Kurnia, K	Soewardi, I Setyobud	liandi and A H Dharmawan	
	Tiew article	🔁 PDF	

**Phis Site Gee So**kies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.

012068

Assessing the potential of coastal ecosystems to develop marine tourism in Pramuka Island, the Kepulauan Seribu National Park, Jakarta, Indonesia

Rudianto, H M P Putra, M A Gemasabil and D P Merryanti

+ Open abstract 🔄 View article 📂 PDF

OPEN ACCESS			012060
Phytochemical co (Halymenia durva	onstituents and antic ilae)	liabetic activity of edible marine red seaweed	012009
G Sanger, L K Raru	ng, L J Damongilala, l	B E Kaseger and L A D Y Montolalu	
	Tiew article	🔁 PDF	
OPEN ACCESS Stock estimation, Sunda-Banda Sea	species compositio scape (East Flores,	on and biodiversity of target reef fishes in the lesser Alor and South West Maluku regencies), Indonesia	012070
F Setiawan, Muhidi	n, S Agustina, J Pingk	an, Estradivari, S A Tarigan, E Muttaqin, T Wijanarko, Khaifin,	
N Wisesa et al			
+ Open abstract	Tiew article	PDF	
OPEN ACCESS			012071
Catch abundance species in Tanjun	and fishing season g Luar Fishery	from vulnerable and endangered Elasmobranch	
B M Simeon, Fahm	i, M Ichsan, E Muttaq	in, S Oktaviyani, U Mardhiah and I Yulianto	
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS Seaweed extract ( addition of seawe	(Sargassum polycys eed porridge	<i>tum</i> ) as a preservative on sunscreen cream with the	012072
Y H Sipahutar, N A	lbaar, H B Purnamasaı	ri, M G Kristiany and D H G Prabowo	
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS Perceptions of fis	hermen communitio	es against the establishment of conservation areas in	012073
Pongok Island, Se	outh Bangka		
L Soeprijadi, E B S	Haryani and C P Adi		
+ Open abstract	Tiew article	🔁 PDF	
OPEN ACCESS			012074
Development of a Landing (VTOL)	observing dolphin p Unmanned Aerial S	opulation method using Small Vertical Take-off and System (AUV)	
B Subhan, D Arafat	, P Santoso, K Pahlevi	, B Prabowo, M Taufik, B S Kusumo, K Awak, D Khaerudi, H C	Dhoiulun
et al This site uses cooki seeQrffrfftstegcand	es. By continuing to us Cookies what icle	se this site you agree to our use of cookies. To find out more, PDF	8

OPEN ACCESS			012075
Antibacterial activ Pulau Lima Indon	ity of the symbiotic esia	c bacteria of green algae Caulerpa racemosa from	
Sujuliyani, E A Thail	o, N Indriati and M Li	ananda	
	Tiew article	🔁 PDF	
OPEN ACCESS			012076
Flavor characterist otak" affected by v	tics and quality of r various liquid smok	nackerel ( <i>Scromberomorus commersonii</i> ) "otak- e addition methods	
D A Susbandi, F Swa	stawati and S Suharto	)	
	Tiew article	🔁 PDF	
OPEN ACCESS			012077
Preparation and ch alvarezii seaweed	aracterization of se bleached by Perace	emi-refined carrageenan from <i>Kappaphycus</i> etic Acid	
Uju, E Prasetyanings	ih, J Santoso, N Kami	iya and T Oshima'	
	View article	🔁 PDF	
OPEN ACCESS Protein profiles an Bintan L Viruly, N Andarwu	d DNA isolation of lan, M T Suhartono ar	f hemolymph gonggong snail <i>(Strombus</i> sp.) from nd M Nurilmala	012078
	View article	🄁 PDF	
OPEN ACCESS Growth performan prebiotic honey	ce of white shrimp	Litopenaeus vannamei fed with Various dosages of	012079
Widanarni, F N Putri	and Rahman		
	Tiew article	🔁 PDF	
OPEN ACCESS Upper circulation observation and m	in Bone Bay and its odel	s relation to biogeochemical distribution: from	012080
P Widyastuti, A S Att	nadipoera, I W Nurja	ya, N M Natih and A Priatna	
	Tiew article	🔁 PDF	
OPEN ACCESS Phytochemical pro from Ekas Bay, Ea A S Windyaswari, J I	ofile of sea grass ex 1st Lombok ? Purba, S S Nurrahma	tract <i>(Enhalus acoroides):</i> A new marine source ah, I P Ayu, Z Imran, A A Amin, F Kurniawan, N T M Pratiwi	012081
A Iswantari This site uses cookie • Open abstract see our Privacy and 0	s. By continuing to us	e this site you agree to our use of cookies. To find out more, PDF	0

OPEN ACCESS			012082
Effectiveness ava Effectiveness (OF	ilability of Individu EE) analysis at PT. 1	ual Quick Freezing (IQF) using Overall Equipment X, Karawang-West Java	
R Wiranata, Asriani,	, N Dharmayanti and	L Supenti	
	View article	PDF	
OPEN ACCESS			012083
Influence of mana National Park, Ba	agement status on t	he coral reef fish communities in Ujung Kulon	
F K Yudha, K Fahle	vy, W Andika, E Sara	swati, P R Hutami, M M Kamal and A M Samosir	
	View article	🔁 PDF	
OPEN ACCESS			012084
The use of portab Indonesia	le fish aggregating	devices for pelagic fish in Sunda Strait Water,	
R Yusfiandayani, M	Nurilmala, Nurjanah,	, A Abdullah, M F A Sondita and C P H Simanjuntak	
	View article	🔁 PDF	
JOURNAL LINK	S		
Journal home			
Journal scope			
Information for orga	nizers		
Information for auth	lors		
Contact us			

Reprint services from Curran Associates



This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.







This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.

https://iopscience.iop.org/issue/1755-1315/278/1

Θ

#### PAPER • OPEN ACCESS

## A potential inefficiency management: Kaizen application in the fillet processing of frozen demersal fish at PT. X Makassar-South Sulawesi

To cite this article: N Dharmayanti et al 2019 IOP Conf. Ser.: Earth Environ. Sci. 278 012016

View the article online for updates and enhancements.

#### You may also like

- <u>The consciousness of excellent quality</u> service to improve effectiveness of TQM and kaizen-PDCA quality management Suriadi, I Abadi, R Jasiyah et al.
- Kaizen implementation in seaweed aquaculture (Gracilaria sp.) in Karawang, West Java: A productivity improvement case study
   F A Hasanah, M Nurhudah, M Mulyono et
- F A Hasanah, M Nurhudah, M Mulyono et al.
- The application of material handling in fish fillet production process of red snapper in PT X A L Rucitra

## ECS Toyota Young Investigator Fellowship

## **(ECS)** ΤΟΥΟΤΑ

For young professionals and scholars pursuing research in batteries, fuel cells and hydrogen, and future sustainable technologies.

At least one \$50,000 fellowship is available annually. More than \$1.4 million awarded since 2015!



Application deadline: January 31, 2023

Learn more. Apply today!

This content was downloaded from IP address 182.2.142.85 on 16/01/2023 at 03:53

**IOP** Publishing

## A potential inefficiency management: Kaizen application in the fillet processing of frozen demersal fish at PT. X **Makassar-South Sulawesi**

#### N Dharmayanti<sup>1\*</sup>, A H Purnomo<sup>2</sup>, A Permadi<sup>1</sup> and Mariyana<sup>1</sup>

<sup>1</sup>Study Program of Fisheries Processing Technology, Jakarta Fisheries University, Indonesia.

<sup>2</sup>Marine and Fisheries Biotechnology and Product Processing Research Center, Jakarta, Indonesia.

\*E-mail: niken.stp@gmail.com

Abstract. PT. X is constantly lost profit allegedly due to inefficiencies in the processing of demersal fish fillets. This research was aimed to analyze the problem using the Kaizen method, a systematic analysis approach for continuous improvement. The research included the definition of the main problem, identification of the root causes on the employees, methods, materials and machine aspects, as well as identification of actions that are technically implementable and financially require less cost but produce maximum impact. The analysis of the production data in the frozen grouper fillets processing found differences in maximum yield in two production lines: 31.20% in Line 1 and 35.25% in Line 2, while the company's overall standard yield was 33%. These results indicated that interventions in Line 1 are needed to increase the yield by 2%. Root cause analysis found a numbery internal aspects that could be improved through Kaizen intervention, namely sorting raw materials, filleting, skinning, and trimming. Two interventions were recommended including employees training who in those aspects, and calibrating the main equipment. With such interventions, the inefficiencies worth Rp. 6.000,-/Kg of final product equivalent to Rp. 1.000.000,-/year of production could be overcome.

Keywords: increasing, kaizen, PT. X, yield

#### 1. Introduction

In January 2018, according to BKIPM statistics, Indonesia ranked first for operational volume of fishery products. Indonesia had a total export value of 97,011 tons (53.18%), import of 27,106 tons (14.86%), domestic entry of 11,047 tons (6.06%), domestic outside of 44,780 tons (24.55%), and transit of 2,492 tons (1.37%) [1]. The data indicated an increasing international demand for Indonesian fisheries products.

According to the Quarterly Performance Report I of the Directorate General of Strengthening Competitiveness of Marine and Fisheries Products in 2017, to keep up with the increasing global demand for quality and safe fish products, various efforts to improve post-harvest production, product diversification, logistics systems, and business sustainability need to be continuously carried out in order to strengthen competitiveness. But until now support such as facilities and infrastructure, technology, human resources, and financial sectors are still inadequate. This is due to several internal

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI. Published under licence by IOP Publishing Ltd 1

IOP Conf. Series: Earth and Environmental Science 278 (2019) 012016 doi:10.1088/1755-1315/278/1/012016

**IOP** Publishing

factors, such as the limited number of post-harvest units and fish markets that have not met the standards, the limited availability of raw materials for fish processing units, the limited competency in the post-harvest and marketing workforce, and not yet effective coordination between stakeholders in the processing and marketing of fishery products [2].

PT. X, located in Makassar Industrial Area, South Sulawesi province, is a company engaged in fisheries that processes various types of fish, both demersal and pelagic fish. One of their products include frozen (skinless) demersal fish fillets, which are produced for export. This company is also inseparable from problems in the processing process, such as low yield value or below-target yield. Yield meat can be used after processing. The yield is used to estimate how many parts of the body can be used as food ingredients [3].

In light of these problems, there needs to be a way to overcome this and improve the production process. This is consistent with the statement of [4], namely that the improvement of the production process needs to be carried out continuously so that material waste and time can be minimized. Kaizen is a Japanese term for the concept of Continuous Incremental Improvement. *Kai* means change and *zen* means good. Kaizen means continuous improvement that involves everyone. This approach can only work well when accompanied by the right effort of human resources. The human factor is the most important dimension in improving quality and productivity. The high Kaizen spirit in Japanese companies has made them progress rapidly and excel in quality. Kaizen is basically a comprehensive and integrated unity of view that aims to carry out continuous improvement. Kaizen's spirit is based on the following views [5]: today must be better than yesterday, and tomorrow must be better than today; no one day must pass without improvement/improvement; problems that arise are an opportunity to carry out improvements; appreciate improvements/improvements even though small; improvements/upgrades do not have to require a large investment.

#### 2. Materials and Methods

#### 2.1. Data collection

The data that were already collected were entered in processing stage. We obtained both primary data and secondary data.

2.1.1. Primary data. Primary data was obtained directly from the object under study by means of observation, testing and others. In this practice, the primary data were obtained through direct observation to the field or to the location of the practice, about how to handle and process demersal fish fillets (skinless) since they are received until the storage process. Data were obtained by participating in fish processing activities and conducting direct interviews with the parties that had authority over the data needed.

2.1.2. Secondary data. Secondary data were obtained indirectly, collected from several parties by conducting literature studies as a reference or material for the data in the field. Secondary data collection methods were carried out by the author, including company data collection, literature study from various writings, and consultation with supervisors and related parties.

#### 2.2. Data processing

Data processing was done to resolve the problem under study. The steps taken in data processing included:

#### 1) Secondary Data Analysis

Secondary data were obtained from the company as reference material to determine the beginning of the problems that occured at PT. X, especially in the processing of frozen demersal fish fillets.

#### The 3rd EIW

IOP Conf. Series: Earth and Environmental Science 278 (2019) 012016 doi:10.1088/1755-1315/278/1/012016

#### 2) Fish Bone Diagram

The quality of the product (goods/services) is the basic factor of customer satisfaction in determining the product to be purchased or used. Thereforem the quality of the product is a key factor for the success of the company. Factors that affect the quality commonly referred to as 9M include: market, money, management, man, motivation, materials, machines and mechanization, modern information methods (mounting product requirements) [6]. The writer applied causal analysis with 4 factors, namely man (human), machines, method, and material.

#### 3) Primary Data Analysis

Primary data were data obtained from the results of sampling or sampling directly by observing the processing and also calculating the yield value and the level of productivity of employees at each stage. The processing stages that were observed were filleting, thorn removal, skinning, and trimming.

#### 4) Assumption of profit

The profit assumption was made to look at the level of profit that would be obtained if the action changed or improved, which included the value of profits per day, week, month and year. According to [7], profit and loss were a description of the company's performance regarding income, costs and losses/ profits obtained from a company during a certain period. The formula for calculating the value of profit and loss can be seen in the formula below:

5) Provide Proposed Action

$$Profit / Loss = Total Sales - Total Cost$$
(1)

**IOP** Publishing

At this stage there would be a showing of the provision of proposed actions to the problem or source of problems that had been obtained from the evaluation of the causes of direct problems.

#### **3. Results and Discussion**

#### 3.1. Yield of processing result at the company

The yield as result from processing at the company was used as a reference material to determine the beginning of the problem. This yield as secondary data was obtained in April 2018. The yield data for April 2018 can be seen in the diagram in figure 1.



#### The 3rd EIW

IOP Conf. Series: Earth and Environmental Science 278 (2019) 012016 doi:10.1088/1755-1315/278/1/012016

Figure 1 shows that the yield value in April 2018 did not meet the standard, namely by Milihat from the mean value of grouper, which was 32.13% with 33% being the standard. Robinson had a mean value of 36.87% with a standard value of 40%. Laccukang/kakatua had a mean value of 33.40% with 34% standard value. Meanwhile, guntur fish met the standard with mean value of 41.92% (standard value of 40%) and lencam fish with mean value of 34.26% (standard value of 33%). With these values it could be concluded that the yield value achieved by the company still did not meet the standards for several types of fish, namely grouper, robinson, and laccukang/kakatua.

#### 3.2. Result of causal diagram

The causal diagram is presented in the form of a fish bone diagram which includes observations of man (human / employee), machine (equipment), method, material (raw material). Fish bone diagrams can be seen in figure 2.



Figure 2. Fish bone diagram.

Figure 2 is a fish bone diagram consisting of man (human/employee), machine (machine/equipment), method (method), material (raw material). Fish bone diagrams are described in table 1.

Parameter	Cause	Effect		
Method	The lack of well-defined processing stages because the	No detection of the stages		
	weighing process was only done at the stage of raw	that produced the greatest		
	material acceptance and after trimming so that if the	waste		
	yield did not meet the standards, the company would not			
	know what stages produced the biggest loss.			
Material	1. Tumors and the presence of spear marks on fish meat	A lot of meat was wasted		
	that required fish meat to be cut or scraped by			
	employees			
	2. Types of fish meat (soft and lots of red meat)			
Man	1. Low knowledge of employees at the sorting stage			
	2. Inadequate employee competency in filleting,	The amount of white		
	quenching, skinning, and trimming.	meat was wasted		
Machine	The knives used for trimming were blunt and the knife	The amount of white		
	starts to turn on because the change period has exceeded	meat was wasted		
	the limit			

## The 3rd EIWIOP PublishingIOP Conf. Series: Earth and Environmental Science 278 (2019) 012016doi:10.1088/1755-1315/278/1/012016

Table 1 shows that the yield was influenced by several factors, namely from employees, raw materials, methods and equipment so that in the sampling data were needed in the form of yield and productivity processing stages, namely at the stages of filleting, removal of fish bones, skinning, and trimming.

#### 3.3. Result of yield value

Yield value, also known as primary data, was data obtained from the results of sampling or sampling directly by observing the processing and also calculating the yield value and the level of productivity in employees at each stage. The stages of the process observed were at the stages of filleting, bone removal, skinning, and trimming. The yield data can be seen in the diagram in figure 3.



Figure 3. Yield value/line.

Figure 3 explains that the yields produced by different groups were those that met the standards and that there are those that did not meet the standards and from productivity diagrams we can see that this type of fish affected the speed of employees. Group 1 rendement value for grouper showed a value that exceeded the standard value, namely with a yield value of 35.25% with a standard value of 33%, lencam which is 33.95% with a standard of 33%, and kakatua at 35.88% with a standard of 34 %. In group 2 the yield value for lencam showed a value that exceeded the standard, namely the yield of 33.63% with a standard yield of 33%. In group 3 the yield value for lencam showed a value that exceeded the standard with a yield value of 35.01% with a standard of 33%, and Robinson with a yield of 33.63% with a standard of 33%. From the results above it can be concluded that the actual yield standard can be increased for example in grouper. The standard rendement value of 33% can be increased to 35%.

#### 3.4. Result of estimated profit

After analyzing the yield value by looking at the yield and productivity, the results showed that the standard yield in the company could be increased, for example, the standard yield of grouper fish from 33% could be increased to 35%. Table 2 shows the estimated benefits of increasing the yield.

Table 2 shows that if the standard yield in grouper is 33% then the profit obtained is Rp 15,000, -/ 1 kg of the final product. If the standard yield in grouper is 35% then the profit obtained is Rp 21,000, - / 1 kg of the final product. The estimated value of the benefits in the time cycle can be seen in table 3.

Tabel 2. Estimated profit.				
Estimated Calculation				
Price of fish / kg	Rp 40,000			
Final product price / Kg	Rp 135,000			
Type of fish and size	Kerapu (1-1,6 kg)			
Yield value	33% 330 gr 0,33 kg			
3 kg of ra	aw material produces 0.99 kg of final product			
Initial capital	Raw material x raw material prices			
	= 3 kg x Rp 40,000			
	= Rp 120,000			
Profit	Selling price x initial capital			
= Rp 135,000 - Rp 120,000				
= Rp 15,000,00 / 1 kg the final product				
Yield value	35% 350 gr 0,35 kg			
2.85 kg of raw material produces 0.99 kg of final product				
Initial capital	Raw material x raw material prices			
	= 2,85 kg x Rp 40,000			
	= Rp 114,000			
Profit	Selling price x initial capital			
	= Rp 135.000 - Rp 144.000			
= Rp 21.000,00 / 1 kg the final product				

IOP Conf. Series: Earth and Environmental Science 278 (2019) 012016 doi:10.1088/1755-1315/278/1/012016

**Table 3.** Estimation of profit value in the time cycle.

Time		Final product		Yield		
		(kg)		33%		35%
Ke	erapu	1	Rp	15,000	Rp	21,000
Day	1 day	500	Rp	7,500,000	Rp	10,500,000
Week	6 days	3.000	Rp	45,000,000	Rp	63,000,000
Month	24 days	12.000	Rp	180,000,000	Rp	252,000,000
Year	336 days	168.000	Rp 2	2,520,000,000	Rp 3	3,528,000,000
Ι	Difference Inc	rease 2%			Rp 1	,008,000,00,-

From the results of the estimation of profit in table 3 above, we can conclude that the benefits to be achieved by a company will increase if the standard of yield is also increased, with an estimated increase of 2% resulting from the difference. Profit can increase by Rp 6,000/1 kg of the final product and if estimated in the time cycle (years) it can increase by Rp 1,008,000.00,-/168,000 kg of the final product.

#### 3.5. Provision of solutions

From the results of several analyzes above, there are some conclusions and improvement solutions to increase the yield value of a company. Conclusions and improvement solutions can be seen in table 4.

IOP Conf. Series: Earth and Environmental Science 278 (2019) 012016 doi:10.1088/1755-1315/278/1/012016

**IOP** Publishing

Table 4. Conclusions and improvement solutions.	
Conclusions	Improvement solutions
Employees: Less competent employees at the	There needs to be training for employees,
stages of filleting, skinning, and trimming	especially for employees at the filleting,
	skinning, and trimming stages
Raw Materials: The high and low quality of	The need for a level of accuracy in the
raw materials will affect the yield level	selection of raw materials so that the raw
	materials received are of high quality and
	there are no scars (spear marks) on the fish
	that will be used as raw material
Equipment: The equipment used (knife) is	There needs to be a knife check every day to
blunt so that a lot of meat is wasted on the	see the level of sharpness and the equipment
trimming stage	used
Method: the biggest waste will not be	It is necessary to add scales to the fillet stage
detected if it is not weighed at each stage of	to control the level of waste that is wasted
the fillet process until trimming.	
The yield standard needs to be improved even	By increasing the capacity of 4 M (man,
if only with an increase of 2%	material, machine, method)

Table 4. Conclusions and improvement solutions.

#### 4. Conclusion

After implementation of the Kaizen method, this research draws three conclusions: there were four factors causing the low yield value of the factors, where the most influential ones are the level of employees expertise and also the raw materials used; the lowest yield for grouper is on Line 2 (31.20%) and the highest value is on Line 1 (35.25%), while the standard value of the company's yield is 33%, therefore the standard of yield can be increased by 2%; if the estimated increase of 2% resulting from the difference in the increase in profits can increase by Rp.6,000/1 kg of the final product and if estimated in the time cycle (years) it can increase by Rp 1,008,000.00,-/168,000 Kg of the final product.

#### References

- [1] Badan Karantina Ikan, Pengendalian Mutu, dan Keamanan Hasil Perikanan 2018 *BKIPM Statistik* data harian Januari 2018 *Statistik Versi 1.0.* (Jakarta: BKIPM)
- [2] Kementrian Kelautan dan Perikanan 2017 Laporan kinerja triwulan I tahun 2017 Direktorat Jendral Penguat Daya Saing Produk Kelautan dan Perikanan (Jakarta: Kementrian Kelautan dan Perikanan)
- [3] Hadiwiyoto S 1993 Teknologi Pengolahan Hasil Perikanan Jilid I (Yogyakarta: Kanisius)
- [4] Wignjosoebroto S 2000 Ergonomi Studi Gerak dan Waktu: Teknik Analisis untuk Peningkatan Produktivitas Kerja (Makasar: Guna Widya Surabaya)
- [5] Gasperz V 2001 Total Quality Manajemen (Jakarta: PT Gramedia Pustaka Utama)
- [6] Feigenbaum A V 1992 Kendali Mutu Terpadu (Jakarta: Erlangga)
- [7] Sumardika 2013 Kewirausahaan Perikanan (Jakarta: Bina Sumberdaya MIPA)